Unpack the machine and check the components

The components included in the box may differ depending on your country. Remove the protective tape or film covering the machine.








Watch our FAQ Videos for help with setting up your Brother machine. support.brother.com/videos




Starter Ink Cartridges

- Black
- Yellow
- Cyan Magenta



Quick Setup Guide Reference Guide **Product Safety Guide**



Maintenance Sheet



Brother Installation Disc



Telephone Line Cord

NOTE

Manuals in Spanish for this model are available at support.brother.com. Manuales en Español para este modelo están disponibles en support.brother.com. Most of the illustrations in this Quick Setup Guide show the MFC-J6945DW.

- Save all packing materials and the box in case you must ship your machine.
- · You must purchase the correct interface cable for the interface you want to use. A USB cable is included in some countries.


Use a USB 2.0 cable (Type A/B) that is no more than 16 feet (5 meters) long.

Ethernet (Network) cable

Use a straight-through Category 5 (or greater) twisted-pair cable for 10BASE-T or 100BASE-TX Fast Ethernet Network.

Load plain Letter/A4 paper


For more information about paper handling and sizes, see the Reference Guide.



Pull the paper tray completely out of the machine as shown by the arrow.



Fan the paper well.




Adjust the paper guides.

Load the paper in the tray.



Slowly push the paper tray completely into the machine.




Pull out the paper support until it locks into place.

Connect the power cord




Install the starter ink cartridges

For MFC-J6545DW XL models: Insert the LC3039 Series Starter Ink Cartridges first.



Open the ink cartridge cover.



Quickly shake just the **black** ink cartridge horizontally 15 times as shown, before inserting it into the machine.

Follow the touchscreen instructions to unpack and install the ink cartridges. Close the ink cartridge cover. The machine will prepare the ink tube system for printing.

NOTE

The first time you install the ink cartridges, the machine will use extra ink to fill the ink delivery tubes. This is a one-time process that enables high-quality printing.



Set the date and time

Follow the touchscreen instructions to set the date and time.



NOTE

Machine settings

Follow the touchscreen instructions to configure the machine settings:

- View operation tips
- Set Brother LCD Message defaults

You can adjust the control panel angle


to read the touchscreen more easily.

- Check print quality
- · Configure the tray or paper size settings
- Print the installation sheet




Connect the telephone line cord


If you are not using your machine as a fax, go to 8 For more information on using the fax feature, see the Online User's Guide.



Lift the scanner cover.



Connect the telephone line cord. Use the jack marked LINE and guide the cord out the back of the machine.



Close the scanner cover.



Select your language (if needed)

- 1. Press | [Settings] > [All Settings] > [Initial Setup] > [Local Language].
- Press your language.
- 3. Press



Select the correct Receive Mode

If you are not using your machine as a fax, go to 11

For more information, see Choose the Correct Receive Mode in the Reference Guide.

- 1. Press | [Settings] > [All Settings] > [Fax] > [Setup Receive] > [Receive Mode].
- 2. Press your preferred Receive Mode.
- 3. Press



Set your Station ID

If you are not using your machine as a fax, go to 11.

outgoing fax pages.

Store your name and fax number so the machine prints it on all

- 1. Press | [Settings] > [All Settings] > [Initial Setup] > [Station ID] > [Fax].
- 2. Enter your fax number (up to 20 digits) on the touchscreen, and then press [OK].


3. Press [Name].


- **4.** Enter your name (up to 20 characters) using the touchscreen, and then press [OK].
- 5. Press






Select a device to connect to your machine





Connect your computer



Put the installation disc into your CD/DVD drive, or download the Full Driver & Software Package at:

For Windows®: support.brother.com/windows For Mac: support.brother.com/mac

If you are using a recently released operating system on your computer, visit the above websites for updated driver and software information.

Follow the on-screen instructions and prompts.

For Windows®:


If the Brother screen does not appear automatically, go to Computer (My Computer/This PC). Double-click the CD/DVD-ROM icon, and then double-click start.exe.

For Mac:

For full driver functionality, we recommend choosing the CUPS driver when adding a printer.

For Wired Network Connection and USB Connection:

Locate the correct port (based on the cable you are using) inside the machine as shown.



Finished

For Network Users:

Best practice is to configure a unique admin password for any network device.

We recommend changing the default Web Based Management password, initpass, in order to use network tools/utilities securely.

Can't Connect? Check the following:



Wired network USB connection

Restart your wireless access point/router (if possible).

Disconnect the cable.

Restart your machine and computer, and then go to 12

If still not successful, go to 13

Even if you do not have a wireless access point/router, you can connect your device and your machine directly. For additional wireless network

support, go to support.brother.com/wireless-support.

Brother regularly updates firmware to add features and apply bug fixes.

To check for the latest firmware, visit <u>support.brother.com/up7</u>.

If still not successful, visit support.brother.com for FAQs and Troubleshooting.


SSID (Network Name)

Alternative wireless setup

Find your SSID (Network Name) and Network Key (Password) on your wireless access point/router and write them in the table provided below.

Network Key (Password) SSID: XXXXXXX Network key: XXXX

If you cannot find this information, ask your network administrator or wireless access point/router manufacturer. Go to your machine, and press WiFi > [Setup Wizard] > [Yes].



Select the SSID (Network Name) for your access point/router and enter the Network Key (Password).

When the wireless setup is successful, the touchscreen displays [Connected].

If setup is not successful, restart your Brother machine and your wireless access point/router, and repeat 13

For Computer

Go to 12 to install software.

For Mobile Device

Go to 14 to install apps.

Print or scan using your mobile device

Your mobile device must be connected to the same wireless network as your Brother machine.





AirPrint is available for all supported iOS devices including iPhone, iPad, and iPod touch. You do not need to download any software to use AirPrint. For more information, see the Online User's Guide.



Download and install the Mopria® Print Service app from Google Play™ using your Android™ device.



Download and install our free application **Brother iPrint&Scan** from a mobile application store, such as the App Store, Google Play[™] or Microsoft[®] Store using your mobile device.

Brother SupportCenter is a mobile app that provides the latest support information for your Brother product. Visit the App Store or Google Play™ to download.



Optional apps

You can print from and scan to your mobile device using various apps. For instructions, see the Online User's Guide.

(USA only) For more information on apps, visit www.brother-usa.com/connect.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com