



## ➔ 8-bit Microcontrollers with Integrated USB Controller

### Ready to Go in No Time

Atmel®'s family of 8-bit microcontrollers supports a wide range of USB applications: high-end keyboards, mice, phone accessories, toys, serial adapters and industrial equipment.

An on-chip bootloader permits very quick firmware download from a PC, without using a parallel programmer or dedicated hardware.

Nonvolatile memory stores configuration parameters enabling the system to be instantly operational, even without connection to a PC.

8051 solutions offer 8KB to 64KB of Flash with up to 4 MIPS and USB function. They also include 5 ROM variants for cost reduction when code is fixed.

AVR® solutions offer 8KB to 128KB of Flash with up to 16 MIPS, USB function and On-The-Go for dual role host or function.

#### Applications

- Keyboard and mice
- Gamepads and Joysticks
- Phone accessories
- Toys
- Serial adapters
- Industrial equipment
- Security Keys
- POS Terminals
- NFC and RFID readers
- Power supplies and chargers

#### Key Features & Benefits

- Popular and powerfull 8-bit architectures 8051 and AVR
- Extensive Library of USB reference firmware
- USB Certification
- Flash In-System Programming
- Factory Programmed USB boot-loader
- Choice of serial interfaces and analog peripherals
- Large range of memory sizes
- Industrial Grade and Quality
- Low power consumption



## USB Everywhere

After conquering computers and peripherals, USB is gaining momentum in consumer products and industrial equipment. Data storage, data transfer and product configuration are key applications driving this move.

On-The-Go (OTG) now allows devices to communicate without PC intervention. With the suitable device class libraries OTG can:

- support various targeted products
- negotiate host or device role with another OTG device
- connect to any PC as a USB device




Human Interface Devices form by far the most popular class of USB peripherals. New pointing and input devices gain in accuracy with full-speed (12 Mbit/s), which is provided by all Atmel USB microcontrollers.

Atmel USB microcontrollers also support isochronous transfers and double buffering for audio streaming. Last but not least, Atmel controllers with seven endpoints can merge several USB functions in one composite device, thus saving space and components.

## USB Self-Programming

Atmel USB Flash microcontrollers' on-chip bootloader can be used for self-programming at any step of the product life cycle: development, production, after sales support and in day to day use by the end user.

Dedicated on-chip hardware secures the user firmware but can also force the application to reprogram when it has lost control.



**Instant connection: programming on demand**

## USB Software Library

A library of reference firmware demonstrates the most popular USB device classes and helps proliferate applications without the need for custom driver development: Human Interface Device class for mice, keyboards and industrial equipment I/Os; Mass storage device class to share files with PCs; Communication Device Class for data transfer and UART emulation.

Device Class	Endpoint / Pipe*	AVR		8051
		Host (KB)	Function (KB)	Function (KB)
Device Firmware Update	1	7	4	3
Human Interface Device	1-3	4	3	3
Mass Storage	3	7	5	6
Communication Device Class	4	8	7	5
Audio	2	3	2.5	
Fingerchip Bulk	2			4

\*Including one IN/OUT control endpoint/pipe

## AVR Tools

Evaluation Kit	Atmel: AT90USBKEY, EVK525 Mass Storage Evaluation Kit
Starter Kit	Atmel: STK525, STK526
Emulator Platform	Atmel: JTAGICE mkII
In-System Programming	Atmel: FLIP software, AVRISP mkII, JTAGICE mkII, AVR Dragon
Flash Device Programmers	Atmel: STK500 with STK501 or STK526
Compilers	CodeVision™, GCC-AVR, IAR®,



USB Demo Kit  
P/N: AT90USBKEY



64 & 128KB Flash Starter Kit  
P/N: ATSTK525




8 & 16KB Flash Starter Kit  
P/N: ATSTK526

## 8051 Tools

Starter et Development Kits	Atmel: AT89STK-05, AT89STK-10, AT89DVK-04
Emulator	Ceibo, Hitex, Nohau, Phytec, Signum
In-System programming	Atmel: FLIP software
Flash Device Programmers	Advantech®, Hi-Lo Systems, EneC, BP Microsystems, Data I/O®, etc
Compilers	Crossware®, Hi-Tech, IAR®, Keil™, Raisonance®, SDCC, Tasking®



AT89C5132 Development Kit  
P/N: AT89DVK-04



AT89C5130A/31A Starter Kit  
P/N: AT89STK-05



Mass Storage  
Starter Kit - P/N: AT89STK-10

## Headquarters

### Atmel Corporation

2325 Orchard Parkway  
San Jose, CA 95131, USA  
Tel: 1(408) 441-0311  
Fax: 1(408) 487-2600

## International

### Atmel Asia

Room 1219  
Chinachem Golden Plaza  
77 Mody Road Tsimhatsui  
East Kowloon  
Hong Kong  
Tel: (852) 2721-9778  
Fax: (852) 2722-1369

### Atmel Europe

Le Krebs  
8, Rue Jean-Pierre Timbaud  
BP 309, 78054  
Saint-Quentin-en-  
Yvelines Cedex  
France  
Tel: (33) 1-30-60-70-00  
Fax: (33) 1-30-60-71-11

### Atmel Japan

9F, Tonetsu Shinkawa Bldg.  
1-24-8 Shinkawa  
Chuo-ku, Tokyo 104-0033  
Japan  
Tel: (81) 3-3523-3551  
Fax: (81) 3-3523-7581

## Product Contact

Atmel Nantes  
La Chantrerie  
BP 70602  
44306 Nantes cedex 3  
France  
Tel: (33) 2-40-18-18-18  
Fax: (33) 2-40-18-19-60

## Literature Requests

[www.atmel.com/literature](http://www.atmel.com/literature)

## Website

[www.atmel.com](http://www.atmel.com)

© 2007 Atmel Corporation.  
All rights reserved.

Atmel®, logo and combinations thereof, Everywhere You Are®, AVR® and others are registered trademarks of Atmel Corporation or its subsidiaries. Other terms and product names may be the trademarks of Atmel or others.

Rev.: 4036F-AVR-03/07/4000



# USB 8-bit Microcontrollers Offering

Part Number	Status a)	Flash (KB)	ROM (KB)	ISP & Self Programming	EEPROM (Bytes)	RAM (Bytes)	I/O Pins	Serial Interfaces																8-bit Timers	16-bit Timers	PWM (channel)	Comparator	A/D Converter (channel)	Analog Gain Stage	POR	PFD	Memory Interfaces (IDE, MMC, SD, CF, SM)	JTAG/DebugWIRE	Vcc (V)	Max. Frequency (MHz)	Max. Speed (MIPS)	Packages	Temperature Range
								UART/USART	SPI	TWI (I2C compliant)	USB 2.0 Host/OTG	USB Full Speed	USB Low Speed	USB DPRAM (bytes)	USB Endpoints	PS2	I2S	3+POA	5	3+POA	5	Y	Y															
AT90USB82	1	8	USB/SP1	512	512	22	22	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	D	2.7	-5.5	8-16	8-16	QFN32	-40°C to +85°C			
AT90USB162	P	16	USB/SP1	512	512	22	22	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	D	2.7	-5.5	8-16	8-16	TQFP32, QFN32	-40°C to +85°C				
AT90USB646	P	64	USB/SP1	2K	4K	48	48	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	J	2.7	-5.5	8-16	8-16	QFN64	-40°C to +85°C					
AT90USB647	P	64	USB/SP1	2K	4K	48	48	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	J	2.7	-5.5	8-16	8-16	TQFP64, QFN64	-40°C to +85°C					
AT90USB1286	P	128	USB/SP1	4K	8K	48	48	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	J	2.7	-5.5	8-16	8-16	QFN64	-40°C to +85°C					
AT90USB1287	P	128	USB/SP1	4K	8K	48	48	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	J	2.7	-5.5	8-16	8-16	TQFP64, QFN64	-40°C to +85°C					
AT99C5130A	P	16	USB	1K	1280	18/34	1	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	D	2.7	-5.5	48	4	PLCC32, QFN32, VOFP64	-40°C to +85°C				
AT99C5131A	P	32	USB	1K	1280	18/34	1	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	D	2.7	-5.5	48	4	PLCC32, QFN32, VOFP64, SO28	-40°C to +85°C				
AT99C5132	P	64	USB	2304	44	1	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	-40°C to +85°C			
AT99C5134	P	8		1280	18	1	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	D	2.7	-3.6	32	4	QFN32	-40°C to +85°C				
AT99C5135	P	16		1280	18	1	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	D	2.7	-3.6	32	4	QFN32	-40°C to +85°C				
AT99C5136	P	32		1280	18/34	1	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	D	2.7	-3.6	32	4	QFN32, VOFP64, SO28, Die	-40°C to +85°C				
AT93EC5136	P	32		512	1280	34	1	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	D	2.7	-3.6	32	4	QFN48	-40°C to +85°C				
AT93EI5136	P	32		32K	1280	34	1	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	D	2.7	-3.6	32	4	QFN48	-40°C to +85°C				

a) 1: Device under introduction, P: Product in Full Production. Please contact your local sales for details.  
CF: CompactFlash, IDE: Integrated Drive Electronics, MMC: Multimedia Card, PFD: Power Fail Detect, POR: Power On Reset, PWM: Pulse Width Modulation, SD: Secure Digital, SM: Smart Media, SPI: Serial Peripheral Interface, USB: Universal Serial Bus.

Hotline [avr@atmel.com](mailto:avr@atmel.com)

**Disclaimer:** The information in this document is provided in connection with Atmel products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Atmel products. EXCEPT AS SET FORTH IN ATMEL'S TERMS AND CONDITIONS OF SALES LOCATED ON ATMEL'S WEB SITE, ATMEL ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL ATMEL BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS AND PROFITS, BUSINESS INTERRUPTION, OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF ATMEL HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Atmel makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Atmel does not make any commitment to update the information contained herein. Unless specifically provided otherwise, Atmel products are not suitable for, and shall not be used in, automotive applications. Atmel's products are not intended, authorized, or warranted for use as components in applications intended to support or sustain life.

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>