

# Grilles & Baffles



CG8A



CG8AW



SG8W



WB8



PG8A



PG8W



PG8U

**Note:** Colors of speakers may not be accurate and should not be used for reference purposes.

## Description

Bogen metal grilles protect and conceal recessed 8" ceiling speakers. They are shipped complete with the hardware needed to mount a speaker to the grille.

Bogen's Wall Baffle, WB8, will house any Bogen 8" speaker. Hardware for mounting a speaker to the baffle included.

## Features

### GRILLES

- Available in aluminum, bright white, or off-white finish
- Protects and conceals 8" speakers
- Constructed of metal or aluminum

### WALL BAFFLE

- Constructed of 3/8" particle board with reinforced corners
- Sloping front panel (13.5 degrees) provides enhanced downward dispersion

## Technical Specifications

Model*	Material	Finish	Style	Dimensions	Quantity	Shipping Weight (Carton)
CG8A	Aluminum	Satin Aluminum	Contoured	12-5/8" Dia.	15 / carton	8 lb.
CG8AW		Off-white Enamel				9 lb.
PG8A		Satin Aluminum	Low Profile		13" Dia.	20 / carton
PG8U	Bright White Enamel	26 lb.				
PG8W	Off-white Enamel					
SG8W	Steel	Bright White Enamel	Low Profile‡	13" Dia.	10 / carton	14 lb.
WB8		3/8" particle board	Simulated Walnut			9-1/2" W x 9-1/2" H x 5-1/4" D 3-1/4" D (at bottom)

\* Mounting hardware included ‡ Features hidden speaker mounting studs

**Architect  
and Engineer  
Specifications**

**Ceiling Grilles**

(Use for **CG8A**) The ceiling speaker grille shall be a Bogen model CG8A aluminum grille, or equivalent, capable of protecting and concealing a recessed 8" cone-type loudspeaker. The diameter of the grille shall be 12-5/8" and it shall be contoured and finished in satin aluminum. Mounting hardware shall be included.

(Use for **CG8AW**) The ceiling speaker grille shall be a Bogen model CG8AW aluminum grille, or equivalent, capable of protecting and concealing a recessed 8" cone-type loudspeaker. The diameter of the grille shall be 12-5/8" and it shall be contoured and finished in off-white semi-gloss enamel. Mounting hardware shall be included.

(Use for **PG8A**) The ceiling speaker grille shall be a Bogen model PG8A aluminum grille, or equivalent, capable of protecting and concealing a recessed 8" cone-type loudspeaker. The diameter of the grille shall be 13" and it shall be low profile and finished in satin aluminum. Mounting hardware shall be included.

(Use for **PG8U**) The ceiling speaker grille shall be a Bogen model PG8U steel grille, or equivalent, capable of protecting and concealing a recessed 8" cone-type loudspeaker. The diameter of the grille shall be 13" and it shall be low profile and finished in bright white semi-gloss enamel. Mounting hardware shall be included.

(Use for **PG8W**) The ceiling speaker grille shall be a Bogen model PG8W steel grille, or equivalent, capable of protecting and concealing a recessed 8" cone-type loudspeaker. The diameter of the grille shall be 13" and it shall be low profile and finished in off-white semi-gloss enamel. Mounting hardware shall be included.

(Use for **SG8W**) The ceiling speaker grille shall be a Bogen model SG8W steel grille, or equivalent, capable of protecting and concealing a recessed 8" cone-type loudspeaker. The diameter of the grille shall be 13", the speaker mounting studs shall be hidden, and the grille shall be low profile and finished in bright white semi-gloss enamel. Mounting hardware shall be included.

**WB8 Wall Baffle** The loudspeaker wall baffle shall be a Bogen model WB8, or equivalent, capable of housing an 8" cone-type loudspeaker and angled (13.5 degrees) for additional downward sound dispersion. The baffle shall be constructed of 3/8" particle board, glued and covered in simulated walnut vinyl. Glue blocks shall be used to reinforce all side corner joints. The speaker opening shall be covered with a black grille cloth. Hardware for mounting the speaker to the baffle shall be supplied. Overall dimensions shall be 9-1/2" W x 9-1/2" H x 5-1/4" D (top) x 3-1/4" D (bottom).

**BOGEN<sup>®</sup>**  
**COMMUNICATIONS, INC.**

50 Spring Street, Ramsey, NJ 07446, U.S.A.  
Tel: 201-934-8500; FAX: 201-934-9832; [www.bogen.com](http://www.bogen.com)

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>