


The IP Phone 2001 - Basic Operation



IP Phone 2001 Emissions Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at their own expense.

This Class B digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada.

Use only with Nortel Networks recommended, approved Limited Power Source (Output rated: 16VAC, 500mA, 50/60Hz or 48VDC LAN Power).

Warning: The earpiece/mouthpiece region on the handset may attract and retain small objects.

Document Number: NN43115-110

Document Version: Standard 01.02

Date: June 2007

Copyright © 2007 Nortel Networks.

All rights reserved.

* Nortel, the Nortel logo, and the Globemark are trademarks of Nortel Networks.

To provide feedback or report a problem in this document, go to

www.nortel.com/documentfeedback.



The IP Phone 2001 Getting Started

NORTEL

www.nortel.com

The IP Phone 2001 - Introduction

This Getting Started Card describes Nortel Networks IP Phone 2001. The IP Phone 2001 delivers space savings at the desktop with a small footprint, supports local AC and LAN powering options, and offers an intuitive user-interface - all without sacrificing the ultra-high reliability, superior voice quality and feature-rich communication services that you've come to expect from Nortel Networks.

The design of the IP Phone 2001 provides single-button access to functionality & features for maximum to personal productivity and efficiency.

The IP Phone 2001 includes a superior display to present information to the user, making it very easy to use. The four soft label keys guide users through feature use, as supported on any of Nortel Networks communication systems.

For feature descriptions and provisioning information regarding the use of your IP Phone 2001 on a specific Nortel Networks communication system refer to the documentation provided with the system, including the IP Phone 2001 User Guide.

The IP Phone 2001 - Installation

Installing the IP Phone 2001

Step 1:

Refer to the picture of the back of the IP Phone 2001 on this card.

Step 2:

Attach the handset cord, by plugging the end of the handset cord that has the longer straight section into the handset jack on the back of the phone. Route the straight section of the handset cord through the cord guide on the back of the set. Attach the other end of the handset cord to the handset.

Step 3:

Attach the front edge of the stand by aligning the two clips on the bottom of the phone with the matching pivot points on the stand, as shown in the picture of the back of the phone. Once these front edge tabs are inserted, you can press the phone and stand together to snap the stand into the other two pivot points in the mid-section of the phone.

Step 4:

Connect one end of the Ethernet Cat-5 cable to the Ethernet Port on the back of the phone, and connect the other end to a Local Area Network (LAN) wall outlet. Route the LAN cable through the cord guide on the stand. If the phone is on a LAN-powered enabled network, follow the prompts that appear on the screen. Your system administrator should provide you with correct information to enter.

Step 5:

If LAN Power is not available, plug the optional AC Power Adapter into the base of the phone, and plug the adapter into the nearest power outlet. Country specific AC power adapters are separately orderable.

Wall Mounting

To wall mount the IP Phone 2001, discard the footstand and use the wall mounting holes on the telephone base.

The IP Phone 2001 - Basic Operation



Make A Call

Press the Line key or lift the Handset to make a call using the IP Phone 2001, and enter the phone number on the dial pad. Once the called party has answered, use the handset to be heard by the person you are calling. When your call is complete, press the GOODBYE/RELEASE key or replace the handset to the cradle.

Volume Control

The volume control key adjusts ringer and handset volumes. Press the volume control key while your phone is ringing, or access ringer volume via the Services list, to adjust the ringer volume. Pressing the volume control key while using your handset will adjust the handset volume.

Place a Call on Hold

While on a call, pressing the HOLD key will place your caller on hold. Press the LINE key to retrieve your call.

Answer a Call

Answer a ringing call by lifting the HANDSET.

Set Lamp

Alerts the user with visual ringing and message waiting indication.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>